

| Ref # | Hits | Search Query   | DBs             | Default Operator | Plurals | Time Stamp       |
|-------|------|--|-----------------|------------------|---------|------------------|
| L1    | 942  | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR               | ON      | 2004/11/27 14:01 |
| L2    | 1    | (709/223,224.ccls.) and @py<"2000" and probe and (server with cluster\$3)  | US-PGPUB; USPAT | OR               | ON      | 2004/11/27 14:01 |
| L3    | 942  | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.                        | US-PGPUB; USPAT | OR               | ON      | 2004/11/27 14:02 |
| L4    | 942  | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.                   | US-PGPUB; USPAT | OR               | ON      | 2004/11/27 14:03 |
| L5    | 0    | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.                 | US-PGPUB; USPAT | OR               | ON      | 2004/11/27 14:04 |

|     |    |  |                 |    |    |                  |
|-----|----|--|-----------------|----|----|------------------|
| L6  | 0  | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:07 |
| L7  | 0  | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.         | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:07 |
| L8  | 0  | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (light\$7 or weightless)) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as.                  | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:11 |
| L9  | 0  | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes") with (light\$7 or weightless)) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:12 |
| L10 | 16 | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes")) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/27 15:52 |

|     |     |   |                 |    |    |                  |
|-----|-----|---|-----------------|----|----|------------------|
| L11 | 3   | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and ((numerous or plurality or multitude or "number of") with ("probes")) and (probes with (monitor\$7 or collect\$7 or retriev\$7 or poll\$7) with (level or layer)) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:12 |
| L12 | 290 | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/27 15:53 |
| L13 | 128 | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) and ((display\$5 or view\$5) with (level or layer)) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/27 15:55 |
| L14 | 1   | (709/223,224.ccls.) and @ay<"2000" and ((network adj manage\$7) or (network adj monitor\$7)) and (GUI or ((topo\$9 or hierarch\$7) with (view\$5 or display\$5))) and ((display\$5 or view\$5) with (level or layer) with (hardware and network)) not (IBM or "International Business Machines").as.                  | US-PGPUB; USPAT | OR | ON | 2004/11/27 15:56 |
| S1  | 1   | (709/223,224.ccls.) and @py<"2000" and probe and (server with cluster\$3)   | US-PGPUB; USPAT | OR | ON | 2004/11/27 14:01 |
| S2  | 1   | (709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe and (server with cluster\$3)  | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:06 |
| S3  | 10  | (709/223.ccls. or 709/224.ccls.) and @py<"2000" and (server with cluster\$3)  | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:06 |
| S4  | 7   | (709/223.ccls. or 709/224.ccls.) and @py<"2000" and (server with cluster\$3) and ((os or "operating system") and network and hardware and (program or application or software))   | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:08 |

|     |      |  |                 |    |    |                  |
|-----|------|--|-----------------|----|----|------------------|
| S5  | 677  | (709/223.ccls. or 709/224.ccls.) and @py<"2000"  | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:08 |
| S6  | 35   | (709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe  | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:08 |
| S7  | 2    | (709/223.ccls. or 709/224.ccls.) and @py<"2000" and probe and cluster  | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:36 |
| S8  | 0    | "709".clas. and @py<"2000" and probe and (server with cluster)   | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:38 |
| S9  | 5499 | "709".clas. and @py<"2000"   | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:38 |
| S10 | 2896 | "709".clas. and @py<"2000" and prob\$3   | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:38 |
| S11 | 27   | "709".clas. and @py<"2000" and prob\$3 and (server with cluster)   | US-PGPUB; USPAT | OR | ON | 2004/04/02 13:38 |
| S12 | 17   | "709".clas. and @py<"2000" and prob\$3 and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)                       | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:09 |
| S13 | 5951 | "709".clas. and @py<"2000" (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)         | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:11 |
| S14 | 5728 | "709".clas. and @py<"2000" (network with monitor\$3) and (server adj2 cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)         | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:11 |
| S15 | 5600 | "709".clas. and @py<"2000" (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:13 |
| S16 | 0    | 709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml                     | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:13 |

|     |    |  |                 |    |    |                  |
|-----|----|--|-----------------|----|----|------------------|
| S17 | 0  | "709".clas. and @py<"2000" and (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware) and xml | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:13 |
| S18 | 6  | "709".clas. and @py<"2000" and (network with monitor\$3) and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)         | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:20 |
| S19 | 4  | 709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") and (application or app or apps or program) and network and hardware)                                 | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:46 |
| S20 | 0  | 709/223,224.ccls. and @py<"2000" and (server with cluster) and ((os or "operating system") same (application or app or apps or program) same network same hardware)                              | US-PGPUB; USPAT | OR | ON | 2004/04/02 14:36 |
| S21 | 5  | 709/223,224.ccls. and @py<"2000" and (server with cluster) and hardware  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:39 |
| S22 | 73 | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:39 |
| S23 | 0  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and (combin\$5 with prob\$4) and xml   | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:42 |
| S24 | 0  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and xml  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:43 |
| S25 | 4  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:43 |
| S26 | 4  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and level  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:44 |
| S27 | 4  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and levels   | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:44 |

|     |    |  |                 |    |    |                  |
|-----|----|--|-----------------|----|----|------------------|
| S28 | 4  | 709/223,224.ccls. and @ay<"2000" and (server with cluster) and hardware and probe and levels not (IBM or "international business machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/22 19:44 |
| S29 | 20 | (709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snooper) with (level or component or section or part or portion)) and (server with cluster\$3)  | US-PGPUB; USPAT | OR | ON | 2004/11/23 21:04 |
| S30 | 4  | (709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snooper) with (level)) and (server with cluster\$3)   | US-PGPUB; USPAT | OR | ON | 2004/11/23 21:05 |
| S31 | 4  | (709/223,224.ccls.) and @ay<"2000" and ((probe or agent or tracker or sniffer or snooper) with (level)) and (server with cluster\$3) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/23 21:07 |
| S32 | 0  | (709/223,224.ccls.) and @ay<"2000" and ((probe or tracker or sniffer or snooper) with (one or single or multiple or plurality or number or various or each) with (level or dimension or os or "operating system" or OSI or application or software or hardware)) and (server with cluster\$3) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/24 15:29 |
| S33 | 23 | (709/223,224.ccls.) and @ay<"2000" and ((probe or tracker or sniffer or snooper) with (one or single or multiple or plurality or number or various or each) with (level or dimension or os or "operating system" or OSI or application or software or hardware)) not (IBM or "International Business Machines").as.                              | US-PGPUB; USPAT | OR | ON | 2004/11/24 15:43 |

|     |   |   |                 |    |    |                  |
|-----|---|---|-----------------|----|----|------------------|
| S34 | 5 | (709/223,224.ccls.) and @ay<"2000" and ((light or lightweight or small or tiny or quick or weightless or nimble or agile or graceful) with (probes)) not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/24 17:49 |
| S35 | 1 | (709/223,224.ccls.) and @ay<"2000" and ((sniffer or probe) with (software or application or program) with (hardware) with (network) with (information or data or characteristic or trait)) not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/24 18:48 |
| S36 | 0 | (709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (information or data or characteristic or trait) with (GUI or graphical)) not (IBM or "International Business Machines").as.                               | US-PGPUB; USPAT | OR | ON | 2004/11/24 18:49 |
| S37 | 0 | (709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/24 18:50 |
| S38 | 1 | (709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.                       | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:02 |
| S39 | 0 | (709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (layer or level) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/24 18:50 |

|     |     |   |                 |    |    |                  |
|-----|-----|---|-----------------|----|----|------------------|
| S40 | 381 | (709/223,224.ccls.) and @ay<"2000" and ((information or data or characteristic or trait) with (GUI or graphical or "graphical user interface")) not (IBM or "International Business Machines").as.  | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:02 |
| S41 | 6   | (709/223,224.ccls.) and @ay<"2000" and ((software or application or program) with (hardware) with (network) with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) not (IBM or "International Business Machines").as.                            | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:04 |
| S42 | 207 | (709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:06 |
| S43 | 24  | (709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and probe not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:26 |
| S44 | 0   | (709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((small or light or lightweight or weightless) with probe) not (IBM or "International Business Machines").as.                          | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:07 |
| S45 | 136 | (709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/24 19:09 |



|     |     |   |                    |    |    |                  |
|-----|-----|---|--------------------|----|----|------------------|
| S46 | 136 | (709/223,224.ccls.) and @ay<"2000" and (client with (information or data or characteristic or trait) with (GUI or graphical or "graphical user interface" or view or display)) and ((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:11 |
| S47 | 20  | ((combin\$5 or unit\$4 or join\$4 or merg\$4) with (report or data or information)) and S43   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:11 |
| S48 | 59  | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and probe not (IBM or "International Business Machines").as.  | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:27 |
| S49 | 52  | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:28 |
| S50 | 52  | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client or element or component or trait or characteristic or information)) not (IBM or "International Business Machines").as. | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:30 |

|     |    |   |                    |    |    |                  |
|-----|----|---|--------------------|----|----|------------------|
| S51 | 52 | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client or element or component)) not (IBM or "International Business Machines").as. | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:30 |
| S52 | 48 | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or illustrat\$4) with (device or node or client)) not (IBM or "International Business Machines").as.                         | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:30 |
| S53 | 44 | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) not (IBM or "International Business Machines").as.                             | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:31 |
| S54 | 19 | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) and topology not (IBM or "International Business Machines").as.                | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:31 |

|     |    |   |                    |    |    |                  |
|-----|----|---|--------------------|----|----|------------------|
| S55 | 29 | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (client with (information or data or report) with (combin\$4 or attach\$4 or unit\$4 or join\$4 or merg\$4)) and ((view\$4 or display\$4 or graph\$4) with (device or node or client)) and (topology or hierarch\$7) not (IBM or "International Business Machines").as. | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:38 |
| S56 | 6  | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (compil\$4 with report) not (IBM or "International Business Machines").as.  | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:42 |
| S57 | 7  | (709/223,224.ccls.) and @ay<"2000" and (GUI or graphical or "graphical user interface") and (combin\$4 with report) not (IBM or "International Business Machines").as.  | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:52 |
| S58 | 19 | (709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or attach\$4 combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:55 |
| S59 | 17 | (709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or combin\$4 not unit) with (data or information or report)) not (IBM or "International Business Machines").as.  | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:55 |
| S60 | 17 | (709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unit\$4 or join\$4 or merg\$4 or combin\$4 not units) with (data or information or report)) not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/24 19:56 |

|     |     |  |                 |    |    |                  |
|-----|-----|--|-----------------|----|----|------------------|
| S61 | 15  | (709/223,224.ccls.) and @ay<"2000" and xml and (GUI or graphical or "graphical user interface") and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/24 20:11 |
| S62 | 1   | (709/223,224.ccls.) and @ay<"2000" and xml and "network management" and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.                             | US-PGPUB; USPAT | OR | ON | 2004/11/24 20:13 |
| S63 | 6   | (709/223,224.ccls.) and @ay<"2000" and xml and ("network management" or "network monitoring") and ((compil\$4 or unite or uniting or join\$4 or merg\$4 or combin\$4) with (data or information or report)) not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/26 17:33 |
| S64 | 13  | (709/223,224.ccls.) and @ay<"2000" and xml and ("network management" or "network monitoring") not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/26 17:36 |
| S65 | 833 | (709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/26 17:36 |
| S66 | 13  | (709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") and xml not (IBM or "International Business Machines").as.   | US-PGPUB; USPAT | OR | ON | 2004/11/26 19:29 |
| S67 | 17  | (709/223,224.ccls.) and @ay<"2000" and ("network management" or "network monitoring") and ((numerous or plurality or various or many or multitude or "number of") with (probe)) not (IBM or "International Business Machines").as.                               | US-PGPUB; USPAT | OR | ON | 2004/11/26 20:26 |

|     |      |   |                    |    |    |                  |
|-----|------|---|--------------------|----|----|------------------|
| S68 | 1112 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or various or many or multitude or "number of") with (probe)) not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:27 |
| S69 | 1042 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or various or many or multitude or "number of") with (probe)) and xml not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:27 |
| S70 | 1042 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with (probe)) and xml not (IBM or "International Business Machines").as.  | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:27 |
| S71 | 1042 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) and xml not (IBM or "International Business Machines").as.   | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:29 |
| S72 | 942  | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) and (probes with (small or light\$7 or weightless)) and xml not (IBM or "International Business Machines").as. | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:30 |
| S73 | 942  | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes")) with (small or light\$7 or weightless)) and xml not (IBM or "International Business Machines").as.             | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:31 |

|     |     |   |                    |    |    |                  |
|-----|-----|---|--------------------|----|----|------------------|
| S74 | 942 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or stor\$7 or sav\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as. | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:33 |
| S75 | 942 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as.                      | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:33 |
| S76 | 942 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and navy and xml not (IBM or "International Business Machines").as.             | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:34 |
| S77 | 942 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and "navy" and xml not (IBM or "International Business Machines").as.           | US-PGPUB;<br>USPAT | OR | ON | 2004/11/26 20:34 |

|     |     |  |                 |    |    |                  |
|-----|-----|--|-----------------|----|----|------------------|
| S78 | 942 | (709/223,224.ccls.) and @ay<"2000" and (network adj manage\$7) or (network adj monitor\$7) and ((numerous or plurality or many or multitude or "number of") with ("probes") with (small or light\$7 or weightless)) and (probes (monitor\$7 or collect\$7 or retriev\$7 or obtain\$7 or get\$7 or poll\$7) with (level or layer)) and xml not (IBM or "International Business Machines").as. | US-PGPUB; USPAT | OR | ON | 2004/11/26 20:50 |
|-----|-----|--|-----------------|----|----|------------------|